

**BUREAU VERITAS**  
Certification



## 'S' Mark Licence

Awarded to

# PROWOOD NZ LTD

**283 WAIWHERO ROAD, MOTUEKA 7120, NEW ZEALAND**

Bureau Veritas grants the above organization the right to use the Product Certification 'S' Mark as shown below only in respect of the products described and detailed in the Schedule to this Licence and manufactured in accordance with the requirements of the Standard indicated below under an approved Quality Management System. The Licence is granted subject to the 'Bureau Veritas Conditions of Service' and the 'Rules governing the use of Product Certification Licences'.

### STANDARD

## **AS/NZS 1328.1:1998**

**Glued laminated structural timber**

**Part 1: Performance requirements and minimum production requirements**

**Licence No: 2931**

**Date Granted: 31 July 2020**

**Expiry Date: 31 July 2025**

Signed on behalf of Bureau Veritas

Sam Guindi  
Product Certification Manager



This Licence and its associated Schedule remain the property of Bureau Veritas and must be returned if certification is terminated. The constant compliance with the certification requirements is confirmed by regular surveillance measures from Bureau Veritas. In the case of serious non-compliance the certification will be withdrawn and deleted from the Register.

To check the validity of this certificate please contact: **Bureau Veritas Australia Pty Ltd**  
Issuing office: Bureau Veritas Pty Ltd, 3/435 Williamstown Road, Port Melbourne, Victoria, 3207



**BUREAU  
VERITAS**



## SCHEDULE TO PRODUCT CERTIFICATION LICENCE NO: 2931

### LICENCE DETAILS

**Scheme:** 'S' Mark Product Certification  
**Licensee:** PROWOOD NZ LTD  
**Address:** 283 WAIWHERO ROAD, MOTUEKA 7120, NEW ZEALAND

---



### CONFORMANCE REQUIREMENTS

**Standard:** AS/NZS 1328.1:1998 Glued laminated structural timber  
Part 1: Performance requirements and minimum production requirements

---

### CERTIFIED PRODUCTS

#### PRODUCT DESCRIPTION

Glued laminated timber members for structural use.

#### SPECIES

Radiata Pine

#### DESIGN STRENGTH

GL8, GL12

#### SERVICE CLASS

1, 2, 3

#### ADHESIVES

Resocinol, Melamine

Revision Date: 31 July 2020



**BUREAU VERITAS**  
Certification



**'S' Mark Licence**

Awarded to

**PROWOOD NZ LTD**

**283 WAIWHERO ROAD, MOTUEKA 7120, NEW ZEALAND**

Bureau Veritas grants the above organization the right to use the Product Certification 'S' Mark as shown below only in respect of the products described and detailed in the Schedule to this Licence and manufactured in accordance with the requirements of the Standard indicated below under an approved Quality Management System. The Licence is granted subject to the 'Bureau Veritas Conditions of Service' and the 'Rules governing the use of Product Certification Licences'.

STANDARD

**AS 5068:2006 (R2016)**  
**TIMBER - FINGER JOINTS IN STRUCTURAL PRODUCTS**  
**- PRODUCTION REQUIREMENTS**

**Licence No: 2932**

**Date Granted: 31 July 2020**

**Expiry Date: 31 July 2025**

Signed on behalf of Bureau Veritas

Sam Guindi  
Product Certification Manager



This Licence and its associated Schedule remain the property of Bureau Veritas and must be returned if certification is terminated. The constant compliance with the certification requirements is confirmed by regular surveillance measures from Bureau Veritas. In the case of serious non-compliance the certification will be withdrawn and deleted from the Register.

To check the validity of this certificate please contact: **Bureau Veritas Australia Pty Ltd**  
Issuing office: Bureau Veritas Pty Ltd, 3/435 Williamstown Road, Port Melbourne, Victoria, 3207



**BUREAU**  
**VERITAS**



## SCHEDULE TO PRODUCT CERTIFICATION LICENCE NO: 2932

### LICENCE DETAILS

**Scheme:** 'S' Mark Product Certification  
**Licensee:** PROWOOD NZ LTD  
**Address:** 283 WAIWHERO ROAD, MOTUEKA 7120, NEW ZEALAND



---

### CONFORMANCE REQUIREMENTS

**Standard:** AS 5068:2006 (R2016) TIMBER - FINGER JOINTS IN STRUCTURAL PRODUCTS - PRODUCTION REQUIREMENTS

---

### CERTIFIED PRODUCTS

#### PRODUCT DESCRIPTION

Finger jointed timber members for structural use.

#### Cooks Bolinder / UltraTT

4mm Face to Face  
Max. 200x50

#### SPECIES

Radiata Pine

#### SERVICE CLASS

1, 2 and 3

#### ADHESIVES

Resorcinol, PUR

Revision Date: 31 July 2020

