




# PLX Portal Elevation




Note: Refer to D1107 for assembly overview

# Knee Connection Detail




# 3604 Concrete Foundation Connection




Note: Refer to D1104, D1113, D1114 for slab edge installations

# Hotedge Waffle Slab Foundation Connection




Note: Refer to D1104, D1113, D1114  
for slab edge installations

# Wall Connection at External Corner - Perpendicular 1




# Timber Floor Connection




Required Bearers	Bolts	Bolt Edge Distance
2/290x45 SG8	2/M20	80mm
2/240x45 SG8	2/M20	80mm
4/190x45 SG8	4/M12	48mm
Double up bearers both sides to adjacent piles		

# Block Concrete Edge Connection




Note: Refer to D1104, D1113, D1114 for slab edge installations

# Assembly Overview




Refer to D1102-D1106, D1108-D1114 for foundation connection details

# MAXraft Slab Foundation Connection




Note: Refer to D1104, D1113, D1114 for slab edge installations


# Timber Floor Connection - Parallel to Joists



# Timber Floor Connection - Parallel to Joists - Sections




**SECTION AT JOISTS/ PORTAL**




**SECTION AT BEARER/ PILE CONNECTION**


# Timber Floor Connection - Parallel to Bearers



# Timber Floor Connection - Parallel to Bearers - Sections





## SECTION AT BEARER/ PILE CONNECTION




## SECTION PORTAL


# Wall Connection at External Corner - Perpendicular 2



# Wall Connection at Edge - Adjacent



**PLAN VIEW**



**ELEVATION**

# MAXraft Slab Foundation on Raised Nib

